

CONTENTS

	List of Illustrations	ix
	List of Tables	xiii
1	Executive Summary	1
	1.1 Project goals	
	1.2 Role of conceptual models	
	1.3 Nexus with basin scale planning goals	
	1.4 Laguna function: past and present	
	1.5 Analysis of available data	
	1.6 Addressing management questions	
	1.7 Conceptual model development	
	1.8 Findings	
	1.9 Project recommendations and next steps	
2	Project Background	23
	2.1 Watershed setting	
	2.2 Recent history	
	2.3 Project participants	
	2.4 Steps towards analysis and report development	
3	Assessment and Management Questions	27
	3.1 Hydrology questions	
	3.2 Sedimentation questions	
	3.3 Dissolved oxygen	
	3.4 Nutrients, macrophytes and algae	
	3.5 Biological diversity	
	3.6 Invasive <i>Ludwigia</i> sp.	
4	Hydrology and Sedimentation.	63
	4.1 Summary of recent and current studies	
	4.2 Data analysis: characterization of sedimentation and hydrology	
	4.3 Conceptual models	
5	Water Quality	111
	5.1 Overview of water quality conceptual models	
	5.2 Data analysis	

6	Ecosystem.....	183
	6.1 Overview	
	6.2 Available data for analysis	
	6.3 Ecosystem conceptual models	
7	Indicators.....	215
	7.1 Recommendations	
	7.2 High and low frequency flood flows	
	7.3 Channel and floodplain cross sections	
	7.4 Longitudinal channel profiles	
	7.5 Bankfull flows	
	7.6 Bed and bank erosion or aggradation	
	7.7 Dredge removal quantities	
	7.8 Macrophytes	
	7.9 Chlorophyll-a	
	7.10 Dissolved oxygen/percent saturation	
	7.11 Temperature	
	7.12 Sediment	
	7.13 Benthic macroinvertebrate diversity index	
	7.14 Warm water fish	
	7.15 Unionized ammonia/pH	
	7.16 Nutrient concentrations	
	7.17 Organic carbon concentrations / BOD	
	7.18 Habitat condition	
	7.19 Amphibians	
	7.20 Birds	
8	Model Selection Requirements.....	227
	8.1 Introduction	
	8.2 Preliminary model recommendations	
	8.3 Existing model applications	
	8.4 Hydrologic models to address flood protection and sedimentation	
	8.5 Watershed and water quality models for TMDL	
9	Monitoring Recommendations.....	249
	9.1 Sediment Oxygen Demand	
	9.2 Sediment nutrient flux	
	9.3 N/P limitation	
	9.4 Baseline faunal surveys	
10	Response to Comments.....	255
	10.1 SFEI peer review comments with project team responses	
	10.2 Reviewer's response to questions agreed upon to guide review process	
	References.....	293
	Index.....	305

LIST OF ILLUSTRATIONS

Figure 1-1	Conceptual model of physical processes affecting the Laguna prior to settlement	6
Figure 1-2	Conceptual model of physical processes affecting the Laguna after settlement . . .	7
Figure 1-3	Conceptual model of biological diversity over time	8
Figure 1-4	Potential point and non-point sources of nutrients/BOD in the Laguna watershed	11
Figure 1-5	Range of DO concentrations at Laguna near Todd Road bridge.	16
Figure 1-6	Preliminary conceptual model for the Laguna at Occidental Road (LOR)	16
Figure 1-7	Physical and chemical stream condition knowledge base schematic.	17
Figure 4-1	Laguna watershed and tributaries	65
Figure 4-2 (a)	Conceptual model of physical processes affecting the Laguna prior to settlement	66
Figure 4-2 (b)	Conceptual model of physical processes affecting the Laguna after settlement	67
Figure 4-3	Laguna in flood	69
Figure 4-4	Laguna floodplain elevation map	70
Figure 4-5	Laguna de Santa Rosa 2-year flow hydrographs	74
Figure 4-6	Laguna de Santa Rosa 10-year flow hydrographs	74
Figure 4-7	Laguna de Santa Rosa 25-year flow hydrographs	75
Figure 4-8	Laguna de Santa Rosa 50-year flow hydrographs	75
Figure 4-9	Laguna de Santa Rosa 100-year flow hydrographs	76
Figure 4-10	Weather and water gaging stations	77
Figure 4-11	Watershed mean annual precipitation	78
Figure 4-12	Laguna de Santa Rosa at Stony Point Road discharge and suspended sediment concentration 2002-03	87
Figure 4-13	Laguna de Santa Rosa at Occidental Road discharge and suspended sediment concentration 2002-03	88
Figure 4-14	Santa Rosa Creek at Willowside Road discharge and suspended sediment concentration 2002-03	89

Figure 4-15 Anthropogenic influences on sediment processes and surface water hydrology in lower Laguna watershed	99
Figure 4-16 Anthropogenic influences on sediment processes and surface water hydrology in upper Laguna watershed	101
Figure 4-17 Surface hydrology budget for Laguna de Santa Rosa for water year 2005 . . .	104
Figure 4-18 Average annual sediment budget for Laguna de Santa Rosa based on PSIAC .	105
Figure 4-19 Available storage capacity and areas of natural recharge.	109
Figure 5-1 Water quality overview conceptual model	112
Figure 5-2 Potential point and non-point sources of nutrients/BOD	113
Figure 5-3 Flow at Santa Rosa Creek at Willowside Road with TKN concentrations	116
Figure 5-4 Nitrogen transformations in the water column and sediments.	120
Figure 5-5 Phosphorus transformations in the water column and sediments	122
Figure 5-6 Preliminary TN loading conceptual model	125
Figure 5-7 Preliminary dissolved phosphate loading conceptual model	126
Figure 5-8 Preliminary BOD loading conceptual model	126
Figure 5-9 Total ammonia loadings by reaches.	127
Figure 5-10 Nitrate loadings by reaches	127
Figure 5-11 Total phosphorus loadings by reaches.	128
Figure 5-12 Total number of data points for the samples during 1989-1994, 1995-2000, and 2000-2005.	130
Figure 5-13 Mean NO ₃ concentrations for 1989-1994	132
Figure 5-14 Mean NO ₃ concentrations for 1995-2000	133
Figure 5-15 Mean NO ₃ concentrations for 2000-2005	134
Figure 5-16 Seasonal pattern of NO ₃ concentrations.	135
Figure 5-17 Mean TKN concentrations for 1989-1994.	137
Figure 5-18 Mean TKN concentrations 1995-2000.	138
Figure 5-19 Mean TKN concentrations for 2000-2005.	139
Figure 5-20 Seasonal Pattern of TKN	140
Figure 5-21 Mean TP concentrations for 1989-1994.	142
Figure 5-22 Mean TP concentrations for 1995-2000.	143
Figure 5-23 Mean TP concentrations for 2000-2005.	144
Figure 5-24 Seasonal pattern of TP	145
Figure 5-25 Total NH ₃ concentrations for 1989-1994 by sampling locations.	146
Figure 5-26 Total NH ₃ concentrations for 1995-2000 by sampling locations.	146
Figure 5-27 Total NH ₃ concentrations for 2000-2005 by sampling locations.	147

Figure 5-28	Seasonal pattern of total NH ₃ concentrations	148
Figure 5-29	Total NO ₃ concentrations for 1989-1994 by sampling locations	149
Figure 5-30	Total NO ₃ concentrations for 1995-2000 by sampling locations	149
Figure 5-31	Total NO ₃ concentrations for 2000-2005 by sampling locations	150
Figure 5-32	TKN concentrations for 1989-1994 by sampling locations	150
Figure 5-33	TKN concentrations for 1995-2000 by sampling locations	151
Figure 5-34	Organic nitrogen concentrations for 2000-2005 by sampling locations	151
Figure 5-35	TP concentrations for 1989-1994 by sampling locations	152
Figure 5-36	TP concentrations for 1995-2000 by sampling locations	152
Figure 5-37	TP concentrations for 2000-2005 by sampling locations	153
Figure 5-38	Locations and total number of data collected for dissolved oxygen.	158
Figure 5-39	Range of DO concentrations by sampling months at Laguna upstream of D Pond 36" discharge	159
Figure 5-40	Range of DO concentrations at Laguna near Todd Road bridge.	160
Figure 5-41	DO at Colgan Creek upstream of confluence with Laguna	160
Figure 5-42	DO at Laguna upstream of Delta Pond	161
Figure 5-43	DO at Laguna near Santa Rosa Creek	161
Figure 5-44	DO at Laguna near Guerneville Road	162
Figure 5-45	DO at CDFG WQ-1 during summer 2005 and 2006	163
Figure 5-46	DO at CDFG WQ-3 during summer 2005 and 2006	163
Figure 5-47	DO at SCWA-WQ4 during summer 2005 and 2006	164
Figure 5-48	Seasonal Pattern of DO.	165
Figure 5-49	Examples of DO diurnal cycle at various locations of Laguna during winter and summer season respectively.	167
Figure 5-50	Percent of time below Basin Plan Objective (7 mg/l).	169
Figure 5-51	Median (50 th percentile) DO concentrations.	170
Figure 5-52	Minimum DO observed in 2005 and 2006.	171
Figure 5-53	Ranges of DO observed in 2005 and 200 at the continuously monitored locations.	172
Figure 5-54	DO profile at LOR1 for summer 97, 98 and 99.	173
Figure 5-55	Temperature profile at LOR1 for summer 97, 98 and 99	174
Figure 5-56	Specific conductivity profile at LOR1 for summer 97, 98 and 99	174
Figure 5-57	pH profile at LOR1 for summer 97, 98 and 99	175
Figure 5-58	DO profile at SEB2 for summer 97, 98 and 99.	175
Figure 5-59	Temperature profile at SEB2 for summer 97, 98 and 99	176

Figure 5-60	Specific conductivity profile at SEB2 for summer 97, 98 and 99	176
Figure 5-61	pH profile at SEB2 for summer 97, 98 and 99	177
Figure 5-62	Physical, biological and chemical factors impacting DO dynamics	178
Figure 5-63	Preliminary DO Conceptual model at the Laguna at Stony Point (LSP)	180
Figure 5-64	Preliminary DO Conceptual model for the Laguna at Sebastopol Pond (SEB)	180
Figure 5-65	Preliminary conceptual model for the Laguna at Occidental Road (LOR)	181
Figure 6-1	Biological diversity 1800-2050	184
Figure 6-2	Habitats and wildlife	188
Figure 6-3	Upland condition knowledge base schematic	202
Figure 6-4	Riparian condition knowledge base schematic	202
Figure 6-5	Physical and chemical stream condition knowledge base schematic	203
Figure 6-6	Anthropogenic sediment erosion potential schematic	204
Figure 6-7	Schematic of the anadromous fish suitability knowledge base	205
Figure 6-8	Riparian vulnerability knowledge base schematic	205
Figure 6-9	Indicators of hydrologic alteration knowledge base schematic	206
Figure 6-10	Conceptual model of upper watershed	207
Figure 6-11	Conceptual model of lower watershed	209
Figure 6-12	Conceptual model of invasive <i>Ludwigia</i> sp.	211
Figure 8-1	Key components and linkages among components in modeling framework	227
Figure 8-2	Conceptual strawman for Laguna de Santa Rosa and watershed modeling system	231

LIST OF TABLES

Table 1-1	Summary of estimated pollutant loadings during winter by land uses	14
Table 1-2	Nutrient concentration trends for the upper, middle, and lower Laguna	15
Table 4-1	Discharges during 1-percent (100-year) flood event	71
Table 4-2	Estimated peak runoff rates during several events	73
Table 4-3	Estimated runoff volumes during several events	73
Table 4-4	USGS gaging stations within or near the Laguna watershed	79
Table 4-5	Flow details from Sonoma County unincorporated areas flood insurance study .	82
Table 4-6	Average monthly Laguna de Santa Rosa flows at Guerneville Road	83
Table 4-7	Annual sediment yield estimates by PSIAC	84
Table 4-8	Event-based sediment yields estimated by MUSLE	85
Table 4-9	Mean annual sediment yield estimated by MUSLE	85
Table 4-10	Loss of storage volume in Matanzas Reservoir, 1964-1982.	90
Table 4-11	Particle size distribution of bed material samples in Laguna tributaries	91
Table 4-12	Summary of USGS gauging stations in the Laguna de Santa Rosa watershed and vicinity	103
Table 4-13	Sediment yield estimates for the Laguna watershed and other watersheds nearby	106
Table 5-1	Discharged effluent characteristics	114
Table 5-2	Volume of treated wastewater discharged to the Laguna and the estimated pollutant loadings	114
Table 5-3	Range of nutrients, BOD, TSS and bacteria concentrations at Site C1	115
Table 5-4	Range of nutrients, BOD, TSS and bacteria concentrations at Site C2	115
Table 5-5a	Estimated urban storm runoff and pollutant loadings of Santa Rosa Creek . . .	117
Table 5-5b	Loadings normalized to area	117
Table 5-6	Agricultural types in the Laguna watershed.	118
Table 5-7	Mean storm loads for nutrients.	119
Table 5-8	Estimated loadings of nutrients and BOD loadings from pasture and dairies . . .	119
Table 5-9	Summary of estimated pollutant loadings during winter by land uses	124

Table 5-10	Loads to the Laguna during winter storm and non-storm periods	125
Table 5-11	Loads from urban stormwater.	125
Table 5-12	Range of concentrations for total ammonia.	153
Table 5-13	Range of concentrations for nitrate	154
Table 5-14	Range of concentrations for organic nitrogen (mg/l)	155
Table 5-15	Range of concentrations for total phosphorus.	155
Table 5-16	Average Chl-a concentrations for 1989-1994.	166
Table 6-1	FESA-protected species occurring in the watershed	190
Table 6-2	CESA-protected species occurring in the watershed	191
Table 6-3	California species of special concern occurring in the watershed	193
Table 6-4 (a)	Fish species composition and relative abundance by channel type in Mark West Creek in 2000	195
Table 6-4 (b)	Fish species composition and relative abundance by channel type in Santa Rosa Creek in 1999-2001.	195
Table 6-5	Aquatic fauna observed in historical and recent CDFG/SCWA surveys	197
Table 6-6	Bioassay results 2004–2005 - City of Santa Rosa 2005	198
Table 6-7	Watershed regions as they correspond to the two conceptual models.	200
Table 8-1	Watershed-scale continuous hydrology and sediment models	237
Table 8-2	Comparison of watershed model functionalities	246
Table 8-3	Receiving water quality models	248
Table 9-1	Monitoring recommendation summary	249
Table 10-1	Water quality monitoring data	270